


S15-*-03L


MODULAR COMPOSITE DRILL HOLDER

模块化复合钻钻杆

- 分体式结构;
 - 高精度的模块接口, 可在线更换模块;
 - 仿形排屑槽, 实现良好的刀杆刚性与排屑性能;
 - 侧固式刀柄, 设有3D、5D、8D系列。
- Split structure;
 - High-precision module interface, modules can be replaced online;
 - Profiled chip flutes, achieve good holder rigidity and chip evacuation performance;
 - Side-locked tool holder, with 3D, 5D, 8D series.



单位(Unit): mm


刀杆型号 HOLDER MODEL	DC	匹配模块头 MATCHING MODULE HEAD	尺寸 SIZE					配件 ACCESSORIES	
			LU	DCON	LF	OAL	LS		
S15-GH-030-03L32	30	S15-MSS-0300	96	32	137	197	60	2102256	2502020
S15-GH-030-03L32	31	S15-MSS-0310	96	32	137	197	60	2102256	2502020
S15-GH-030-03L32	32	S15-MSS-0320	96	32	137	197	60	2102256	2502020
S15-GH-033-03L40	33	S15-MSS-0330	105	40	151	221	70	2102256	2502020
S15-GH-033-03L40	34	S15-MSS-0340	105	40	151	221	70	2102256	2502020
S15-GH-033-03L40	35	S15-MSS-0350	105	40	151	221	70	2102256	2502020
S15-GH-036-03L40	36	S15-MSS-0360	104	40	163	233	70	2102256	2502020
S15-GH-036-03L40	37	S15-MSS-0370	104	40	163	233	70	2102256	2502020
S15-GH-036-03L40	38	S15-MSS-0380	104	40	163	233	70	2102256	2502020
S15-GH-039-03L40	39	S15-MSS-0390	123	40	176	246	70	2102256	2502020
S15-GH-039-03L40	40	S15-MSS-0400	123	40	176	246	70	2102256	2502020
S15-GH-039-03L40	41	S15-MSS-0410	123	40	176	246	70	2102256	2502020
S15-GH-042-03L40	42	S15-MSS-0420	132	40	188	258	70	2102256	2502020
S15-GH-042-03L40	43	S15-MSS-0430	132	40	188	258	70	2102256	2502020
S15-GH-042-03L40	44	S15-MSS-0440	132	40	188	258	70	2102256	2502020
S15-GH-045-03L50	45	S15-MSS-0450	141	50	203	283	80	2102272	2502015
S15-GH-045-03L50	46	S15-MSS-0460	141	50	202	282	80	2102272	2502015
S15-GH-045-03L50	47	S15-MSS-0470	141	50	202	282	80	2102272	2502015
S15-GH-048-03L50	48	S15-MSS-0480	150	50	214	294	80	2102272	2502015
S15-GH-048-03L50	49	S15-MSS-0490	150	50	214	294	80	2102272	2502015
S15-GH-048-03L50	50	S15-MSS-0500	150	50	215	295	80	2102272	2502015
S15-GH-051-03L50	51	S15-MSS-0510	159	50	227	307	80	2102272	2502015
S15-GH-051-03L50	52	S15-MSS-0520	159	50	227	307	80	2102272	2502015
S15-GH-051-03L50	53	S15-MSS-0530	159	50	227	307	80	2102272	2502015
S15-GH-054-03L50	54	S15-MSS-0540	168	50	239	319	80	2102272	2502015
S15-GH-054-03L50	55	S15-MSS-0550	168	50	239	319	80	2102272	2502015
S15-GH-054-03L50	56	S15-MSS-0560	168	50	238	318	80	2102272	2502015
S15-GH-057-03L50	57	S15-MSS-0570	177	50	250	330	80	2102272	2502015
S15-GH-057-03L50	58	S15-MSS-0580	177	50	250	330	80	2102272	2502015
S15-GH-057-03L50	59	S15-MSS-0590	177	50	250	330	80	2102272	2502015
S15-GH-060-03L50	60	S15-MSS-0600	186	50	263	343	80	2102272	2502015
S15-GH-060-03L50	61	S15-MSS-0610	186	50	262	342	80	2102272	2502015
S15-GH-060-03L50	62	S15-MSS-0620	186	50	262	342	80	2102272	2502015
S15-GH-063-03L50	63	S15-MSS-0630	195	50	274	354	80	2102272	2502015
S15-GH-063-03L50	64	S15-MSS-0640	195	50	274	354	80	2102272	2502015
S15-GH-063-03L50	65	S15-MSS-0650	195	50	274	354	80	2102272	2502015
S15-GH-066-03L50	66	S15-MSS-0660	204	50	287	367	80	2102272	2502015
S15-GH-066-03L50	67	S15-MSS-0670	204	50	287	367	80	2102272	2502015
S15-GH-066-03L50	68	S15-MSS-0680	204	50	287	367	80	2102272	2502015
S15-GH-069-03L50	69	S15-MSS-0690	210	50	296	376	80	2102272	2502015
S15-GH-069-03L50	70	S15-MSS-0700	210	50	296	376	80	2102272	2502015

S15-*-05L

MODULAR COMPOSITE DRILL HOLDER

模块化复合钻钻杆

- 分体式结构；
 - 高精度的模块接口，可在线更换模块；
 - 仿形排屑槽，实现良好的刀杆刚性与排屑性能；
 - 侧固式刀柄，设有3D、5D、8D系列。
- Split structure;
 - High-precision module interface, modules can be replaced online;
 - Profiled chip flutes, achieve good holder rigidity and chip evacuation performance;
 - Side-locked tool holder, with 3D, 5D, 8D series.



单位(Unit): mm


刀杆型号 HOLDER MODEL	DC	匹配模块头 MATCHING MODULE HEAD	尺寸 SIZE					配件 ACCESSORIES	
			LU	DCON	LF	OAL	LS		
S15-GH-030-05L32	30	S15-MSS-0300	160	32	201	261	60	2102256	2502020
S15-GH-030-05L32	31	S15-MSS-0310	160	32	201	261	60	2102256	2502020
S15-GH-030-05L32	32	S15-MSS-0320	160	32	201	261	60	2102256	2502020
S15-GH-033-05L40	33	S15-MSS-0330	175	40	221	291	70	2102256	2502020
S15-GH-033-05L40	34	S15-MSS-0340	175	40	221	291	70	2102256	2502020
S15-GH-033-05L40	35	S15-MSS-0350	175	40	221	291	70	2102256	2502020
S15-GH-036-05L40	36	S15-MSS-0360	190	40	239	309	70	2102256	2502020
S15-GH-036-05L40	37	S15-MSS-0370	190	40	239	309	70	2102256	2502020
S15-GH-036-05L40	38	S15-MSS-0380	190	40	239	309	70	2102256	2502020
S15-GH-039-05L40	39	S15-MSS-0390	205	40	258	328	70	2102256	2502020
S15-GH-039-05L40	40	S15-MSS-0400	205	40	258	328	70	2102256	2502020
S15-GH-039-05L40	41	S15-MSS-0410	205	40	258	328	70	2102256	2502020
S15-GH-042-05L40	42	S15-MSS-0420	220	40	276	346	70	2102256	2502020
S15-GH-042-05L40	43	S15-MSS-0430	220	40	276	346	70	2102256	2502020
S15-GH-042-05L40	44	S15-MSS-0440	220	40	276	346	70	2102256	2502020
S15-GH-045-05L50	45	S15-MSS-0450	235	50	297	377	80	2102272	2502015
S15-GH-045-05L50	46	S15-MSS-0460	235	50	296	376	80	2102272	2502015
S15-GH-045-05L50	47	S15-MSS-0470	235	50	296	376	80	2102272	2502015
S15-GH-048-05L50	48	S15-MSS-0480	250	50	314	394	80	2102272	2502015
S15-GH-048-05L50	49	S15-MSS-0490	250	50	314	394	80	2102272	2502015
S15-GH-048-05L50	50	S15-MSS-0500	250	50	315	395	80	2102272	2502015
S15-GH-051-05L50	51	S15-MSS-0510	265	50	333	413	80	2102272	2502015
S15-GH-051-05L50	52	S15-MSS-0520	265	50	333	413	80	2102272	2502015
S15-GH-051-05L50	53	S15-MSS-0530	265	50	333	413	80	2102272	2502015
S15-GH-054-05L50	54	S15-MSS-0540	280	50	351	431	80	2102272	2502015
S15-GH-054-05L50	55	S15-MSS-0550	280	50	351	431	80	2102272	2502015
S15-GH-054-05L50	56	S15-MSS-0560	280	50	350	430	80	2102272	2502015
S15-GH-057-05L50	57	S15-MSS-0570	295	50	368	448	80	2102272	2502015
S15-GH-057-05L50	58	S15-MSS-0580	295	50	368	448	80	2102272	2502015
S15-GH-057-05L50	59	S15-MSS-0590	295	50	368	448	80	2102272	2502015
S15-GH-060-05L50	60	S15-MSS-0600	310	50	387	467	80	2102272	2502015
S15-GH-060-05L50	61	S15-MSS-0610	310	50	386	466	80	2102272	2502015
S15-GH-060-05L50	62	S15-MSS-0620	310	50	386	466	80	2102272	2502015
S15-GH-063-05L50	63	S15-MSS-0630	325	50	404	484	80	2102272	2502015
S15-GH-063-05L50	64	S15-MSS-0640	325	50	404	484	80	2102272	2502015
S15-GH-063-05L50	65	S15-MSS-0650	325	50	404	484	80	2102272	2502015
S15-GH-066-05L50	66	S15-MSS-0660	340	50	423	503	80	2102272	2502015
S15-GH-066-05L50	67	S15-MSS-0670	340	50	423	503	80	2102272	2502015
S15-GH-066-05L50	68	S15-MSS-0680	340	50	423	503	80	2102272	2502015
S15-GH-069-05L50	69	S15-MSS-0690	350	50	436	516	80	2102272	2502015
S15-GH-069-05L50	70	S15-MSS-0700	350	50	436	516	80	2102272	2502015

S15-*-08L


MODULAR COMPOSITE DRILL HOLDER

模块化复合钻钻杆

- 分体式结构;
 - 高精度的模块接口, 可在线更换模块;
 - 仿形排屑槽, 实现良好的刀杆刚性与排屑性能;
 - 侧固式刀柄, 设有3D、5D、8D系列。
- Split structure;
 - High-precision module interface, modules can be replaced online;
 - Profiled chip flutes, achieve good holder rigidity and chip evacuation performance;
 - Side-locked tool holder, with 3D, 5D, 8D series.



单位(Unit): mm

刀杆型号 HOLDER MODEL	DC	匹配模块头 MATCHING MODULE HEAD	尺寸 SIZE					配件 ACCESSORIES	
			LU	DCON	LF	OAL	LS		
S15-GH-030-08L32	30	S15-MSS-0300	256	32	297	357	60	2102256	2502020
S15-GH-030-08L32	31	S15-MSS-0310	256	32	297	357	60	2102256	2502020
S15-GH-030-08L32	32	S15-MSS-0320	256	32	297	357	60	2102256	2502020
S15-GH-033-08L40	33	S15-MSS-0330	280	40	326	396	70	2102256	2502020
S15-GH-033-08L40	34	S15-MSS-0340	280	40	326	396	70	2102256	2502020
S15-GH-033-08L40	35	S15-MSS-0350	280	40	326	396	70	2102256	2502020
S15-GH-036-08L40	36	S15-MSS-0360	304	40	353	423	70	2102256	2502020
S15-GH-036-08L40	37	S15-MSS-0370	304	40	353	423	70	2102256	2502020
S15-GH-036-08L40	38	S15-MSS-0380	304	40	353	423	70	2102256	2502020
S15-GH-039-08L40	39	S15-MSS-0390	328	40	381	451	70	2102256	2502020
S15-GH-039-08L40	40	S15-MSS-0400	328	40	381	451	70	2102256	2502020
S15-GH-039-08L40	41	S15-MSS-0410	328	40	381	451	70	2102256	2502020
S15-GH-042-08L40	42	S15-MSS-0420	352	40	408	478	70	2102256	2502020
S15-GH-042-08L40	43	S15-MSS-0430	352	40	408	478	70	2102256	2502020
S15-GH-042-08L40	44	S15-MSS-0440	352	40	408	478	70	2102256	2502020
S15-GH-045-08L50	45	S15-MSS-0450	376	50	438	518	80	2102272	2502015
S15-GH-045-08L50	46	S15-MSS-0460	376	50	437	517	80	2102272	2502015
S15-GH-045-08L50	47	S15-MSS-0470	376	50	437	517	80	2102272	2502015
S15-GH-048-08L50	48	S15-MSS-0480	400	50	464	544	80	2102272	2502015
S15-GH-048-08L50	49	S15-MSS-0490	400	50	464	544	80	2102272	2502015
S15-GH-048-08L50	50	S15-MSS-0500	400	50	465	545	80	2102272	2502015
S15-GH-051-08L50	51	S15-MSS-0510	424	50	492	572	80	2102272	2502015
S15-GH-051-08L50	52	S15-MSS-0520	424	50	492	572	80	2102272	2502015
S15-GH-051-08L50	53	S15-MSS-0530	424	50	492	572	80	2102272	2502015
S15-GH-054-08L50	54	S15-MSS-0540	448	50	519	599	80	2102272	2502015
S15-GH-054-08L50	55	S15-MSS-0550	448	50	519	599	80	2102272	2502015
S15-GH-054-08L50	56	S15-MSS-0560	448	50	518	598	80	2102272	2502015
S15-GH-057-08L50	57	S15-MSS-0570	472	50	545	625	80	2102272	2502015
S15-GH-057-08L50	58	S15-MSS-0580	472	50	545	625	80	2102272	2502015
S15-GH-057-08L50	59	S15-MSS-0590	472	50	545	625	80	2102272	2502015
S15-GH-060-08L50	60	S15-MSS-0600	496	50	573	653	80	2102272	2502015
S15-GH-060-08L50	61	S15-MSS-0610	496	50	572	652	80	2102272	2502015
S15-GH-060-08L50	62	S15-MSS-0620	496	50	572	652	80	2102272	2502015
S15-GH-063-08L50	63	S15-MSS-0630	520	50	599	679	80	2102272	2502015
S15-GH-063-08L50	64	S15-MSS-0640	520	50	599	679	80	2102272	2502015
S15-GH-063-08L50	65	S15-MSS-0650	520	50	599	679	80	2102272	2502015
S15-GH-066-08L50	66	S15-MSS-0660	544	50	627	707	80	2102272	2502015
S15-GH-066-08L50	67	S15-MSS-0670	544	50	627	707	80	2102272	2502015
S15-GH-066-08L50	68	S15-MSS-0680	544	50	627	707	80	2102272	2502015
S15-GH-069-08L50	69	S15-MSS-0690	560	50	646	726	80	2102272	2502015
S15-GH-069-08L50	70	S15-MSS-0700	560	50	646	726	80	2102272	2502015

*8D以上可定制 8D and above can be customized