



- 专用的硬质合金刀片；
 - 优质的定心钻与弹簧；
 - 高强度的焊接与精细磨削的工艺；
 - 出色的抗崩刃性与耐磨性。
- Special carbide tips;
 - High-quality center drill and spring;
 - High-strength welding and fine grinding process;
 - Excellent chipping resistance and wear resistance.




单位(Unit): mm

型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION
HHTQ-20140	14*25	HHTQ-20380	38*25	HHTQ-20620	62*25	HHTQ-20860	86*25
HHTQ-20150	15*25	HHTQ-20390	39*25	HHTQ-20630	63*25	HHTQ-20870	87*25
HHTQ-20160	16*25	HHTQ-20400	40*25	HHTQ-20640	64*25	HHTQ-20880	88*25
HHTQ-20170	17*25	HHTQ-20410	41*25	HHTQ-20650	65*25	HHTQ-20890	89*25
HHTQ-20180	18*25	HHTQ-20420	42*25	HHTQ-20660	66*25	HHTQ-20900	90*25
HHTQ-20190	19*25	HHTQ-20430	43*25	HHTQ-20670	67*25	HHTQ-20910	91*25
HHTQ-20200	20*25	HHTQ-20440	44*25	HHTQ-20680	68*25	HHTQ-20920	92*25
HHTQ-20210	21*25	HHTQ-20450	45*25	HHTQ-20690	69*25	HHTQ-20930	93*25
HHTQ-20220	22*25	HHTQ-20460	46*25	HHTQ-20700	70*25	HHTQ-20940	94*25
HHTQ-20230	23*25	HHTQ-20470	47*25	HHTQ-20710	71*25	HHTQ-20950	95*25
HHTQ-20240	24*25	HHTQ-20480	48*25	HHTQ-20720	72*25	HHTQ-20960	96*25
HHTQ-20250	25*25	HHTQ-20490	49*25	HHTQ-20730	73*25	HHTQ-20970	97*25
HHTQ-20260	26*25	HHTQ-20500	50*25	HHTQ-20740	74*25	HHTQ-20980	98*25
HHTQ-20270	27*25	HHTQ-20510	51*25	HHTQ-20750	75*25	HHTQ-20990	99*25
HHTQ-20280	28*25	HHTQ-20520	52*25	HHTQ-20760	76*25	HHTQ-21000	100*25
HHTQ-20290	29*25	HHTQ-20530	53*25	HHTQ-20770	77*25	HHTQ-21050	105*25
HHTQ-20300	30*25	HHTQ-20540	54*25	HHTQ-20780	78*25	HHTQ-21100	110*25
HHTQ-20310	31*25	HHTQ-20550	55*25	HHTQ-20790	79*25	HHTQ-21200	120*25
HHTQ-20320	32*25	HHTQ-20560	56*25	HHTQ-20800	80*25	HHTQ-21250	125*25
HHTQ-20330	33*25	HHTQ-20570	57*25	HHTQ-20810	81*25	HHTQ-21300	130*25
HHTQ-20340	34*25	HHTQ-20580	58*25	HHTQ-20820	82*25	HHTQ-21350	135*25
HHTQ-20350	35*25	HHTQ-20590	59*25	HHTQ-20830	83*25	HHTQ-21400	140*25
HHTQ-20360	36*25	HHTQ-20600	60*25	HHTQ-20840	84*25	HHTQ-21450	145*25
HHTQ-20370	37*25	HHTQ-20610	61*25	HHTQ-20850	85*25	HHTQ-21500	150*25

英制规格详见P661 INCH SIZE ON P661

附件 ACCESSORIES



	名称 NAME	订货号 PART NO.	规格 SPECIFICATION	孔钻直径 DIAMETER	附件 ACCESSORIES
	接柄 SHANK	2302012	6*20*53	Φ14~Φ60	
		2302013	8*20*53	Φ61~Φ100	
		2302014	8*32*57	Φ101~Φ150	
		2302019	19.05*20*48-6	Φ14~Φ100	
		2302020	31.75*20*65-8	Φ18~Φ100	
		㉓ 2302015	MT2*20-8	Φ21~Φ100	
		2302016	MT3*32-8	Φ101~Φ150	
	螺钉 SCREW	2102084	M8*6	Φ14~Φ25	
		2102030	M8*8	Φ26~Φ100	
		2102006	M10*10	Φ101~Φ150	
	弹簧 SPRING	2106069	6*40	Φ18~Φ60	
		2106072	8*40	Φ61~Φ150	
	定心钻 CENTER DRILL	2501103	6*80	Φ14~Φ60	
		2501104	8*80	Φ61~Φ150	

注:㉓表示该接柄采用定心钻:2501104 NOTE:㉓ MEANS THAT THE SHANK ADOPTS A CENTER DRILL:2501104



HHTQ CARBIDE TIPPED HEAVY-DUTY THICK PLATE HOLE SAW WITH CYLINDRICAL HOLE 硬质合金圆柱孔重型厚板孔钻

- 专用的硬质合金刀片；
- 优质的定心钻与弹簧；
- 高强度的焊接与精细磨削的工艺；
- 出色的抗崩刃性与耐磨性。
- Special carbide tips;
- High-quality center drill and spring;
- High-strength welding and fine grinding process;
- Excellent chipping resistance and wear resistance.




单位(Unit): mm

型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION
HHTQ-40140	14*50	HHTQ-40310	31*50	HHTQ-40480	48*50	HHTQ-40800	80*50
HHTQ-40150	15*50	HHTQ-40320	32*50	HHTQ-40490	49*50	HHTQ-40850	85*50
HHTQ-40160	16*50	HHTQ-40330	33*50	HHTQ-40500	50*50	HHTQ-40900	90*50
HHTQ-40170	17*50	HHTQ-40340	34*50	HHTQ-40510	51*50	HHTQ-40950	95*50
HHTQ-40180	18*50	HHTQ-40350	35*50	HHTQ-40520	52*50	HHTQ-41000	100*50
HHTQ-40190	19*50	HHTQ-40360	36*50	HHTQ-40530	53*50	HHTQ-41050	105*50
HHTQ-40200	20*50	HHTQ-40370	37*50	HHTQ-40540	54*50	HHTQ-41100	110*50
HHTQ-40210	21*50	HHTQ-40380	38*50	HHTQ-40550	55*50	HHTQ-41150	115*50
HHTQ-40220	22*50	HHTQ-40390	39*50	HHTQ-40560	56*50	HHTQ-41200	120*50
HHTQ-40230	23*50	HHTQ-40400	40*50	HHTQ-40570	57*50	HHTQ-41250	125*50
HHTQ-40240	24*50	HHTQ-40410	41*50	HHTQ-40580	58*50	HHTQ-41300	130*50
HHTQ-40250	25*50	HHTQ-40420	42*50	HHTQ-40590	59*50	HHTQ-41350	135*50
HHTQ-40260	26*50	HHTQ-40430	43*50	HHTQ-40600	60*50	HHTQ-41400	140*50
HHTQ-40270	27*50	HHTQ-40440	44*50	HHTQ-40650	65*50	HHTQ-41450	145*50
HHTQ-40280	28*50	HHTQ-40450	45*50	HHTQ-40680	68*50	HHTQ-41500	150*50
HHTQ-40290	29*50	HHTQ-40460	46*50	HHTQ-40700	70*50		
HHTQ-40300	30*50	HHTQ-40470	47*50	HHTQ-40750	75*50		

英制规格详见P663 INCH SIZE ON P663



附件 ACCESSORIES


	名称 NAME	订货号 PART NO.	规格 SPECIFICATION	孔钻直径 DIAMETER	附件 ACCESSORIES
	接柄 SHANK	2302012	6*20*53	Φ14~Φ60	
		2302013	8*20*53	Φ61~Φ100	
		2302014	8*32*57	Φ101~Φ150	
		2302019	19.05*20*48-6	Φ14~Φ100	
		2302020	31.75*20*65-8	Φ18~Φ100	
		㉓ 2302015	MT2*20-8	Φ21~Φ100	
		2302016	MT3*32-8	Φ101~Φ150	
	螺钉 SCREW	2102084	M8*6	Φ14~Φ25	
		2102030	M8*8	Φ26~Φ100	
		2102006	M10*10	Φ101~Φ150	
	弹簧 SPRING	2106071	6*60	Φ18~Φ60	
		2106070	8*60	Φ61~Φ150	
	定心钻 CENTER DRILL	2501105	6*110	Φ14~Φ60	
		2501106	8*110	Φ61~Φ150	

注:㉓表示该接柄采用定心钻:2501106 NOTE:㉓MEANS THAT THE SHANK ADOPTS A CENTER DRILL:2501106



HHTQ CARBIDE TIPPED HEAVY-DUTY THICK PLATE HOLE SAW WITH CYLINDRICAL HOLE 硬质合金圆柱孔重型厚板孔钻

- 专用的硬质合金刀片；
- 优质的定心钻与弹簧；
- 高强度的焊接与精细磨削的工艺；
- 出色的抗崩刃性与耐磨性。
- Special carbide tips;
- High-quality center drill and spring;
- High-strength welding and fine grinding process;
- Excellent chipping resistance and wear resistance.




单位(Unit): inch

型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION
HHTQ-B0562	9/16***1"	HHTQ-B1250	1-1/4***1"	HHTQ-B2000	2***1"	HHTQ-B2750	2-3/4***1"
HHTQ-B0625	5/8***1"	HHTQ-B1312	1-5/16***1"	HHTQ-B2062	2-1/16***1"	HHTQ-B2812	2-13/16***1"
HHTQ-B0687	11/16***1"	HHTQ-B1375	1-3/8***1"	HHTQ-B2125	2-1/8***1"	HHTQ-B2875	2-7/8***1"
HHTQ-B0750	3/4***1"	HHTQ-B1437	1-7/16***1"	HHTQ-B2187	2-3/16***1"	HHTQ-B2937	2-15/16***1"
HHTQ-B0812	13/16***1"	HHTQ-B1500	1-1/2***1"	HHTQ-B2250	2-1/4***1"	HHTQ-B3000	3***1"
HHTQ-B0875	7/8***1"	HHTQ-B1562	1-9/16***1"	HHTQ-B2312	2-5/16***1"	HHTQ-B3250	3-1/4***1"
HHTQ-B0937	15/16***1"	HHTQ-B1625	1-5/8***1"	HHTQ-B2375	2-3/8***1"	HHTQ-B3500	3-1/2***1"
HHTQ-B1000	1***1"	HHTQ-B1687	1-11/16***1"	HHTQ-B2437	2-7/16***1"	HHTQ-B3625	3-5/8***1"
HHTQ-B1062	1-1/16***1"	HHTQ-B1750	1-3/4***1"	HHTQ-B2500	2-1/2***1"	HHTQ-B3750	3-3/4***1"
HHTQ-B1125	1-1/8***1"	HHTQ-B1812	1-13/16***1"	HHTQ-B2562	2-9/16***1"	HHTQ-B4000	4***1"
HHTQ-B1187	1-3/16***1"	HHTQ-B1875	1-7/8***1"	HHTQ-B2625	2-5/8***1"	HHTQ-B4500	4-1/2***1"
HHTQ-B1218	1-7/32***1"	HHTQ-B1937	1-15/16***1"	HHTQ-B2687	2-11/16***1"		

公制规格详见P651 METRIC SIZE ON P651

附件 ACCESSORIES



	名称 NAME	订货号 PART NO.	规格 SPECIFICATION	孔钻直径 DIAMETER	附件 ACCESSORIES
	接柄 SHANK	2302012	6*20*53	Φ9/16"~Φ2-3/8"	
		2302013	8*20*53	Φ2-7/16"~Φ3-3/4"	
		2302014	8*32*57	Φ4"~Φ4-1/2"	
		2302019	19.05*20*48-6	Φ9/16"~Φ3-3/4"	
		2302020	31.75*20*65-8	Φ3/4"~Φ3-3/4"	
		㉓ 2302015	MT2*20-8	Φ7/8"~Φ3-3/4"	
		2302016	MT3*32-8	Φ4"~Φ4-1/2"	
	螺钉 SCREW	2102084	M8*6	Φ9/16"~Φ1"	
		2102030	M8*8	Φ1-1/16"~Φ3-3/4"	
		2102006	M10*10	Φ4"~Φ4-1/2"	
	弹簧 SPRING	2106069	6*40	Φ3/4"~Φ2-3/8"	
		2106072	8*40	Φ2-7/16"~Φ4-1/2"	
	定心钻 CENTER DRILL	2501103	6*80	Φ9/16"~Φ2-3/8"	
		2501104	8*80	Φ2-7/16"~Φ4-1/2"	

注:㉓表示该接柄采用定心钻:2501104 NOTE:㉓ MEANS THAT THE SHANK ADOPTS A CENTER DRILL:2501104



HHTQ CARBIDE TIPPED HEAVY-DUTY THICK PLATE HOLE SAW WITH CYLINDRICAL HOLE 硬质合金圆柱孔重型厚板孔钻

- 专用的硬质合金刀片；
- 优质的定心钻与弹簧；
- 高强度的焊接与精细磨削的工艺；
- 出色的抗崩刃性与耐磨性。
- Special carbide tips;
- High-quality center drill and spring;
- High-strength welding and fine grinding process;
- Excellent chipping resistance and wear resistance.




单位(Unit): inch

型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION	型号 MODEL	规格 SPECIFICATION
HHTQ-D0750	3/4**2"	HHTQ-D1375	1-3/8**2"	HHTQ-D2000	2**2"	HHTQ-D3250	3-1/4**2"
HHTQ-D0812	13/16**2"	HHTQ-D1437	1-7/16**2"	HHTQ-D2125	2-1/8**2"	HHTQ-D3500	3-1/2**2"
HHTQ-D0875	7/8**2"	HHTQ-D1500	1-1/2**2"	HHTQ-D2250	2-1/4**2"	HHTQ-D3625	3-5/8**2"
HHTQ-D0937	15/16**2"	HHTQ-D1562	1-9/16**2"	HHTQ-D2375	2-3/8**2"	HHTQ-D3687	3-11/16**2"
HHTQ-D1000	1**2"	HHTQ-D1625	1-5/8**2"	HHTQ-D2500	2-1/2**2"	HHTQ-D3750	3-3/4**2"
HHTQ-D1062	1-1/16**2"	HHTQ-D1687	1-11/16**2"	HHTQ-D2562	2-9/16**2"	HHTQ-D3875	3-7/8**2"
HHTQ-D1125	1-1/8**2"	HHTQ-D1750	1-3/4**2"	HHTQ-D2625	2-5/8**2"	HHTQ-D4000	4**2"
HHTQ-D1187	1-3/16**2"	HHTQ-D1812	1-13/16**2"	HHTQ-D2750	2-3/4**2"		
HHTQ-D1250	1-1/4**2"	HHTQ-D1875	1-7/8**2"	HHTQ-D2875	2-7/8**2"		
HHTQ-D1312	1-5/16**2"	HHTQ-D1937	1-15/16**2"	HHTQ-D3000	3**2"		

公制规格详见P653 METRIC SIZE ON P653



附件 ACCESSORIES

	名称 NAME	订货号 PART NO.	规格 SPECIFICATION	孔钻直径 DIAMETER	附件 ACCESSORIES
	接柄 SHANK	2302012	6*20*53	Φ3/4"~Φ2-3/8"	
		2302013	8*20*53	Φ2-1/2"~Φ3-3/4"	
		2302014	8*32*57	Φ4"	
		2302019	19.05*20*48-6	Φ3/4"~Φ3-3/4"	
		2302020	31.75*20*65-8	Φ3/4"~Φ3-3/4"	
		㉓ 2302015	MT2*20-8	Φ7/8"~Φ3-3/4"	
		2302016	MT3*32-8	Φ4"	
	螺钉 SCREW	2102084	M8*6	Φ3/4"~Φ1"	
		2102030	M8*8	Φ1-1/16"~Φ3-3/4"	
		2102006	M10*10	Φ4"	
	弹簧 SPRING	2106071	6*60	Φ3/4"~Φ2-3/8"	
		2106070	8*60	Φ2-1/2"~Φ4"	
	定心钻 CENTER DRILL	2501105	6*110	Φ3/4"~Φ2-3/8"	
		2501106	8*110	Φ2-1/2"~Φ4"	

注:㉓表示该接柄采用定心钻:2501106 NOTE:㉓MEANS THAT THE SHANK ADOPTS A CENTER DRILL:2501106

